




BJR PERFORMANCE CO.,LTD BEIJING RACING AUTO PARTS CO.,LTD

Add: NO.88 Jianguo Road, Chaoyang District, Beijing, China
Web: www.autoparts-an.com | www.bjrperformance.com
Email: ashleybjr@vip.sina.com | info@bjrperformance.com
Tel: 86- 130 5183 7379 | 86-137 1620 0964

@bjrperformance | @bjrperformance1 @ashleybjr



BJR PERFORMANCE CO.,LTD
BEIJING RACING AUTO PARTS CO.,LTD





COMPANY PROFILE




Very welcome to BJR Performance Co.,Ltd.

Our factory is located in Guangdong Province, specializing in the production of auto/refitted parts manufacturing around 10 years, focused on Custom Automotive Parts, Connection Parts, Fuel System, Cooling System, Brake System, mainly products are Aluminum Fittings (AN Fittings), Adapters, Braided Hose, Tanks, Fuel Rail Kits, Silicon Hose, Brake Fittings, Tools...

We have many manufacturing processes including a CNC machining, Heavy duty Stamping and casting, we have also just installed a CNC milling Machine center, we have joint ventures and or joint ownership of processes such as Plastic Injection, Aluminum Extruding, Chrome Plating and anodizing.

We have very good market in USA, Canada, Australia, New Zealand, European and South America, as factory, we do OEM for customers for many years, our customers are very satisfied with quality, orders are increase every year. For better development, we try to expand our own brand (BJR Performance), so we built two branches, one is BJR Performance Co.,Ltd, another is Beijing Racing Auto Parts Co.,Ltd. And BJR are more focus on R&D products, we are able to design, develop, manufacture according to your drawings, samples or just an idea. Really hope more customers know us, and BJR could help you expand more market.

Are you interest in expanding more market with more favorable price?
Just call us! www.autoparts-an.com, www.bjrperformance.com.
BJR Performance can help you achieve the goal.





Catalog

Connection Parts

◆Swivel /OnePiece Hose Ends	1
◆Cutter/OnePiece Hose Ends	2
◆Push Lock/FullFlow Hose Ends	3
◆PTFE/FullFlow Hose Ends	4
◆Hose Line	5-6
◆Adapters Fittings	7-8

Fuel System

◆Fuel Tank	9-10
◆Fuel Filter&Kits	11
◆Fuel Rails Kits	12

Cooling System

◆Oil Cooler&Kits	13
◆Intercooler Pipe	14
◆Silicon Hose	15
◆Customize Silicon Hose	16

Brake System

◆Quick Release Fittings	17
◆Brake Fittings	18

Tools

◆AN Wrench	19
◆AN Clamps&Brackets	

Hose Installation

Technical Information

Other Parts

20

21

22



>> Connection Parts



◆ Swivel / One Piece Hose Ends

Size	BJR Series	Color	Angel	Hose Match
AN4	BJRS/ BJROS	Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-04/BJR0723-04
AN6		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-06/BJR0723-06
AN8		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-08/BJR0723-08
AN10		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-10/BJR0723-10
AN12		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-12/BJR0723-12
AN16		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-16/BJR0723-16
AN20		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-20/BJR0723-20

Details Series, pls call us for E-Catalog

>> Connection Parts



◆ Cutter / One Piece Hose Ends

Size	BJR Series	Color	Angel	Hose Match
AN4	BJRC/ BJROC	Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-04/BJR0723-04
AN6		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-06/BJR0723-06
AN8		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-08/BJR0723-08
AN10		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-10/BJR0723-10
AN12		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-12/BJR0723-12
AN16		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-16/BJR0723-16
AN20		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0721-20/BJR0723-20

Details Series, pls call us for E-Catalog

>> Connection Parts



◆ Push Lock/ Full Flow Hose Ends

Size	BJR Series	Color	Angel	Hose Match
AN4	BJRP/ BJRFP	Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-04
AN6		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-06
AN8		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-08
AN10		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-10
AN12		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-12
AN16		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-16
AN20		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0722-20

Details Series, pls call us for E-Catalog

>> Connection Parts



◆ PTFE / Full Flow Hose Ends

Size	BJR Series	Color	Angel	Hose Match
AN3	BJRT/ BJRFT	Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-03/BJR0725-03
AN4		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-04/BJR0725-04
AN6		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-06/BJR0725-06
AN8		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-08/BJR0725-08
AN10		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-10/BJR0725-10
AN12		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-12/BJR0725-12
AN16		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-16/BJR0725-16
AN20		Red-blue,black,gold, purple, silver	straight,30°,45°,60°,90°,120°,150°,180°	BJR0724-20/BJR0725-20

Details Series, pls call us for E-Catalog

>> Connection Parts

◆ S.S Braided Hose

- *Inner: Comnined with a reinforced Chlorinated Polyethylene(CPE) synthetic rubber liner with a nylon inner braid
 - *Outer: Constructed with a stainless steel outer braid, resists abrasion and corrosion
 - *For use with fuel systems, methanol, oils, lubricants, coolant systems and vacuum application
- Minimum temperature -40°C, Maxmium temperature 150°C



BJR Series	Size	I.D.	O.D.	Operation Press	Burst Press
BJR0721-4-M	AN4	7/32"	7/16"	1000PSI	6000PSI
BJR0721-5-M	AN5	1/4"	1/2"	1000PSI	6000PSI
BJR0721-6-M	AN6	11/32"	9/16"	1000PSI	6000PSI
BJR0721-7-M	AN7	3/8"	5/8"	1000PSI	6000PSI
BJR0721-8-M	AN8	7/16"	11/16"	1000PSI	5000PSI
BJR0721-9-M	AN9	1/2"	23/32"	1000PSI	5000PSI
BJR0721-10-M	AN10	9/16"	53/64"	1000PSI	5000PSI
BJR0721-12-M	AN12	11/16"	31/32"	1000PSI	3750PSI
BJR0721-16-M	AN16	7/8"	13/64"	750PSI	2500PSI
BJR0721-20-M	AN20	1-1/8"	1-13/32"	500PSI	2000PSI

◆ Nylon Braided Hose

- *Inner: A flexibel stainelss steel inner core for superior strength embedded in the Chlorinated Polyethylene(CPE) synthetic rubber liner
 - *Ourter: Constructed with a braided nylon outer shield for abrasion resistance
 - *For use with fuel systems, methanol, oils, lubricants, coolant systems and vacuum application
- Minimum temperature -40°C, Maxmium temperature 150°C



BJR Series	Size	I.D.	O.D.	Operation Press	Burst Press
BJR0723-4-M	AN4	7/32"	7/16"	500PSI	2000PSI
BJR0723-5-M	AN5	1/4"	1/2"	500PSI	2000PSI
BJR0723-6-M	AN6	11/32"	9/16"	500PSI	2000PSI
BJR0723-7-M	AN7	3/8"	5/8"	500PSI	2000PSI
BJR0723-8-M	AN8	7/16"	11/16"	500PSI	2000PSI
BJR0723-9-M	AN9	1/2"	23/32"	500PSI	2000PSI
BJR0723-10-M	AN10	9/16"	53/64"	500PSI	2000PSI
BJR0723-12-M	AN12	11/16"	31/32"	350PSI	1400PSI
BJR0723-16-M	AN16	7/8"	13/64"	350PSI	1400PSI
BJR0723-20-M	AN20	1-1/8"	1-13/32"	350PSI	1400PSI

>> Connection Parts

◆ S.S Braided PTFE Hose

- *Inner: PTFE inner line stainless steel braided, it's durable.
 - *Outer: Stainless steel outer cover for excellent abrasion resistance
 - *Recommended for Brake, E85, Alcohol, Nitro, transmission, clutch, nitrous, power steering, oiling, hydraulic & vacuum application
- Minimum temperature -70°C, Maximum temperature 250°C



BJR Series	Size	I.D.	O.D.	Operation Press	Burst Press
BJR0725-3-M	AN3	9/64"	1/4"	4000PSI	12000PSI
BJR0725-4-M	AN4	3/16"	19/64"	4000PSI	12000PSI
BJR0725-6-M	AN6	21/64"	27/64"	3000PSI	10000PSI
BJR0725-8-M	AN8	27/64" 1	35/64"	2500PSI	8000PSI
BJR0725-10-M	AN10	33/64"	5/8"	2000PSI	6000PSI
BJR0725-12-M	AN12	41/64"	49/64"	1000PSI	4000PSI
BJR0725-16-M	AN16	7/8"	1-1/32"	1000PSI	3000PSI
BJR0725-20-M	AN20	1-1/8"	1-9/32"	1000PSI	2500PSI



BJR Series	Size	I.D.	O.D.	Operation Press	Burst Press
BJR0724-3-M	AN3	9/64"	1/4"	4000PSI	12000PSI
BJR0724-4-M	AN4	3/16"	19/64"	4000PSI	12000PSI
BJR0724-6-M	AN6	21/64"	27/64"	3000PSI	10000PSI
BJR0724-8-M	AN8	27/64" 1	35/64"	2500PSI	8000PSI
BJR0724-10-M	AN10	33/64"	5/8"	2000PSI	6000PSI
BJR0724-12-M	AN12	41/64"	49/64"	1000PSI	4000PSI
BJR0724-16-M	AN16	7/8"	1-1/32"	1000PSI	3000PSI
BJR0724-20-M	AN20	1-1/8"	1-9/32"	1000PSI	2500PSI

◆ Push Lock Hose

- Push lock hose os desinged for the use with our push-on fittings.
 - Available in black, blue
 - *Suitable for coolants, oil, air and methanol
 - *Where Temperature exceeds 70c the use of a clamp is recommended.
- Minimum temperature -40°C, Maximum temperature 100°C



BJR Series	Size	I.D.	O.D.	Operation Press	Color
BJR0722-4-M	AN4	1/4"	15/32"	250PSI	Black/Blue
BJR0722-5-M	AN5	5/16"	14/25"	250PSI	Black/Blue
BJR0722-6-M	AN6	3/8"	5/8"	250PSI	Black/Blue
BJR0722-8-M	AN8	1/2"	3/4"	250PSI	Black/Blue
BJR0722-10-M	AN10	5/8"	29/32"	250PSI	Black/Blue
BJR0722-12-M	AN12	3/4"	1"	250PSI	Black/Blue

>> Connection Parts



◆ Adapter Fittings

Size	Type	Angel	BJR Series
AN3, AN4, AN6, AN8, AN10, AN12	AN to NPT adapter	straight, 45°, 90°	★Details Series, pls call us for E-Catalog
	AN to Metric adapter		
	ORB Port Plugs		
	ORB to AN Male Flare		
	Male Flare Union AN adapter		
	Bulkhead Nuts		
	ORB Swivel to AN Male		
	Turbo Flange		
	AN to Female quick connect		
	Alloy Banjo Bolts		
	AN Flare Cap		

>> Connection Parts



◆ Adapter Fittings

Size	Type	Angel	BJR Series
AN3, AN4, AN6, AN8, AN10, AN12, AN16, AN20	Bulkhead AN Fittings	straight, 45°, 90°	★Details Series, pls call us for E-Catalog
	Bulkhead AN Tee		
	Full Flow Bulkhead Fittings		
	AN Flare Plugs		
	NPT Pipe Reducer		
	Female/Male Flare Swivel		
	NPT Male Couplers		
	AN Flare Reducer Female/Male		

>> Fuel System

◆ Fuel Tank



Standard Fuel Surge Tank

BJR Series	Thread
BJRDR15001	AN6



Coolant Expansion Tank

BJR Series	Thread
BJRDR15201	AN6



Universal Single Catch Can

BJR Series	Thread
BJRDR15102	AN10



Universal Dual Catch Can

BJR Series	Thread
BJRDR15101	AN10

>> Fuel System

◆ Fuel Tank



Standard Fuel Tank

BJR Series	Size
BJRVP02210	3L



Alumium Surge Tank

BJR Series	Size
BJRVP02202	1.5L(AN6*3,AN8*1)



Oil Tank

BJR Series	Thread
BJR01902-04	132x132x260mm 4L



Water Tank

BJR Series	Size
BJRWT010	1L

>> Fuel System

◆ Billet Fuel Filter



BJR Series	Thread	Micron
BJRK100202	AN -12 O-ring	
BJRK100202M	N -12 O-ring	new filter element
BJRK100204	AN10 O-ring	OD50MM, L140MM
BJRK100204M	AN10 O-ring; OD 50mm, L140mm	new filter element
BJRK100205	3/8" NPT	80 micron
BJRK100205M	3/8" NPT	new filter element
BJRK100205B	AN8	
BJRK100205BM	AN8	new filter element
BJRK101804M	filter element same as BJRK100204M, different body	new filter element

BJR Series	Micron
BJRK020901-0606	30 Microm
BJRK020901-0808	30 Microm
BJRK020901-0606B	150 Microm
BJRK020901-0808B	150 Microm
BJRK020901-1010	30 Microm
BJRK02090-3/8	3/8NPT
BJRK020901-1212	30 Micron
BJRK020901-09	30 Micron
BJRK020901-012	30 Micron

◆ Billet Fuel Filter Kits



★ Details Series, pls call us for E-Catalog

>> Fuel System

◆ FUEL RAILS KITS

Photos	Item	Description	
	BJRVP00101	Nissan RB30	Anodized Any Color
	BJRVP00101-C	Nissan RB30	Chrome
	BJRVP00103	Nissan RB26	Anodized Any Color
	BJRVP00103-C	Nissan RB26	Chrome
	BJRVP00104	Ford BA-BF	Anodized Any Color
	BJRVP00104-C	Ford BA-BF	Chrome
	BJRVP00105	Holden/Chevy LS1	Anodized Any Color
	BJRVP00105-C	Holden/Chevy LS1	Chrome
	BJRVP00106	Holden/Chevy LS2	Anodized Any Color
	BJRVP00106-C	Holden/Chevy LS2	Chrome
	BJRVP00107	Nissan RB25	Anodized Any Color
	BJRVP00107-C	Nissan RB25	Chrome
	BJRVP00108	MAZDA 13BT S4/5	Anodized Any Color
	BJRVP00108-C	MAZDA 13BT S4/5	Chrome
	BJRVP00110	Holden/Chevy LS3	Anodized Any Color
	BJRVP00110-C	Holden/Chevy LS3	Chrome
	BJRVP00111	Subaru EJ25	Anodized Any Color
	BJRVP00111-C	Subaru EJ25	Chrome
	BJRVP00112	Nissan SR20	Anodized Any Color
	BJRVP00112-C	Nissan SR20	Chrome
	BJRVP00113	Holden/Chevy 304-355	Anodized Any Color
	BJRVP00113-C	Holden/Chevy 304-355	Chrome
	BJRVP00114	Toyota 2JZ (Suit 14mm injectors)	Anodized Any Color
	BJRVP00114-C	Toyota 2JZ (Suit 14mm injectors)	Chrome
	BJRVP00120	Subaru EJ20	Anodized Any Color
	BJRVP00120-C	Subaru EJ20	Chrome
	BJRVP00120-P	Subaru EJ20	Polished
	BJRVP00121	Ford WINDSOR	Anodized Any Color
	BJRVP00121-C	Ford WINDSOR	Chrome
	BJRVP00121-P	Ford WINDSOR	Polished
	BJRVP00122	Mitsubishi EVO I-III 4G63/EVO	Anodized Any Color
	BJRVP00122-C	Mitsubishi EVO I-III 4G63/EVO	Chrome
	BJRVP00122-P	Mitsubishi EVO I-III	Polished

★ Details Series, pls call us for E-Catalog

>> Cooling System

◆ Oil Cooler

Type	Rows	Core size	Screw thread	Color	Photo
Mocal Type	7Rows	255*52*50MM	AN6/AN8/AN10	blue/ black/silver	
	8Rows	255*60*50MM	AN6/AN8/AN10	blue/ black/silver	
	9Rows	255*67*50MM	AN6/AN8/AN10	blue/ black/silver	
	10Rows	255*75*50MM	AN6/AN8/AN10	blue/ black/silver	
	11Rows	255*82*50MM	AN6/AN8/AN10	blue/ black/silver	
	12Rows	255*90*50MM	AN6/AN8/AN10	blue/ black/silver	
	13Rows	255*98*50MM	AN6/AN8/AN10	blue/ black/silver	
	14Rows	255*105*50MM	AN6/AN8/AN10	blue/ black/silver	
	15Rows	255*112*50MM	AN6/AN8/AN10	blue/ black/silver	
	16Rows	255*120*50MM	AN6/AN8/AN10	blue/ black/silver	
	17Rows	255*128*50MM	AN6/AN8/AN10	blue/ black/silver	
Trust Type	18Rows	255*136*50MM	AN6/AN8/AN10	blue/ black/silver	
	19Rows	255*145*50MM	AN6/AN8/AN10	blue/ black/silver	
	7Rows	300*90*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	8Rows	300*105*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	9Rows	300*120*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	10Rows	300*135*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	11Rows	300*150*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	12Rows	300*165*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	13Rows	300*180*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	14Rows	300*190*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	
	15Rows	300*210*50MM	AN6/AN8/AN10/AN12	blue/ black/silver	

◆ Oil Cooler Kits

3/4-16 Female Fitting *1
 Mounting Hardware Set * 1
 M20XP 1.5 Female Fitting *1
 Aluminum Oil Cooler *1
 10-AN Hose Line Separator *1
 3 feet Nylon Steel Braided Hose * 1
 4.2 feet Nylon Steel Braided Hose * 1
 Oil Filter Thermostat Adapter* 1
 Application Specific Mounting Brackets *2
 10-AN 0 Degree Swivel Aluminum Hose End *1
 10-AN 90 Degree Swivel Aluminum Hose End * 3



>> Cooling System

◆ Intercooler Pipe




Angel	Items	O.D.	Thickness	Length
Straight	BJRK1303-200	50mm	2mm	length 500mm
	BJRK1303-250	60mm	2mm	length 500mm
	BJRK1303-300	70mm	2mm	length 500mm
	BJRK1303-350	80mm	2mm	length 500mm
	BJRK1303-400	101.6mm	2mm	length 500mm
	BJRK1303-200-30	50mm	2mm	length 324mm
30deg	BJRK1303-250-30	60mm	2mm	length 324mm
	BJRK1303-300-30	70mm	2mm	length 324mm
	BJRK1303-350-30	80mm	2mm	length 324mm
	BJRK1303-400-30	101.6mm	2mm	length 324mm
	BJRK1303-200-45	50mm	2mm	length 344mm
45deg	BJRK1303-250-45	60mm	2mm	length 344mm
	BJRK1303-300-45	70mm	2mm	length 344mm
	BJRK1303-350-45	80mm	2mm	length 344mm
	BJRK1303-400-45	101.6mm	2mm	length 344mm
	BJRK1303-200-60	50mm	2mm	length 365mm
60deg	BJRK1303-250-60	60mm	2mm	length 365mm
	BJRK1303-300-60	70mm	2mm	length 365mm
	BJRK1303-350-60	80mm	2mm	length 365mm
	BJRK1303-400-60	101.6mm	2mm	length 365mm
	BJRK1303-200-90	50mm	2mm	length 405.5mm
90deg	BJRK1303-250-90	60mm	2mm	length 405.5mm
	BJRK1303-300-90	70mm	2mm	length 405.5mm
	BJRK1303-350-90	80mm	2mm	length 405.5mm
	BJRK1303-400-90	101.6mm	2mm	length 405.5mm
	BJRK1303-200-13	50mm	2mm	length 466.8mm
135deg	BJRK1303-250-13	60mm	2mm	length 466.8mm
	BJRK1303-300-13	70mm	2mm	length 466.8mm
	BJRK1303-350-13	80mm	2mm	length 466.8mm
	BJRK1303-400-13	101.6mm	2mm	length 466.8mm
	BJRK1303-200-18	50mm	2mm	length 528mm
180deg	BJRK1303-250-18	60mm	2mm	length 528mm
	BJRK1303-300-18	70mm	2mm	length 528mm
	BJRK1303-350-18	80mm	2mm	length 528mm
	BJRK1303-400-18	101.6mm	2mm	length 528mm

>> Cooling System

◆ Silicon Hose



Straight&Reducer



Elbow&Reducer



Vacuum Hose



Hump Silicon Hose

Brand:	BJR Performance
Type:	Straight&Reducer, Elbow&Reducer Vacuum Hose, Hump hose
Size	From 1" to 5"
Thickness:	4mm, 5mm/ 3 PLY, 4PLY, 5PLY
Leg Length:	76mm, 3", or as you want
Angel:	straight, 45°, 90°, 135°, 180°
Color:	Blue, Red, Green, Yellow, Purple, Orange, or as you want
Application	Universal

★ Details Series, pls call us for E-Catalog

>> Cooling System

◆ Customize Hose



★ Details Series, pls call us for E-Catalog

>> Brake System



◆ Quick Release Fittings

Fuel Line Use Straight			
BJRQDSPH0504AL-F	AN4	-5 body	Aluminum
BJRQDSPH0506AL-F	AN6	-5 body	Aluminum
BJRQDSPH0806AL-F	AN6	-8 body	Aluminum
BJRQDSPH0808AL-F	AN8	-8 body	Aluminum
BJRQDSPH1210AL-F	AN10	-12 body	Aluminum
BJRQDSPH1212AL-F	AN12	-12 body	Aluminum
Brake Fluid Use Straight			
BJRQDSPH0303AL-B	AN3	-3 body	Aluminum
BJRQDSPH0304AL-B	AN4	-3 body	Aluminum
BJRQDSPH0504AL-B	AN4	-5 body	Aluminum
BJRQDSPH1818AL-B	male 1/8-28bsp	male 1/8-28bsp	Aluminum
BJRQDSPH1818AL-B	male 1/8-28bsp	female 1/8-28bsp	Aluminum
Fuel Line Use Straight			
BJRQDSPH0504TI-F	AN4	-5 body	Titanium
BJRQDSPH0506TI-F	AN6	-5 body	Titanium
BJRQDSPH0806TI-F	AN6	-8 body	Titanium
BJRQDSPH0808TI-F	AN8	-8 body	Titanium
Brake Fluid Use Straight			
BJRQDSPH0303TI-B	AN3	-3 body	Titanium
BJRQDSPH0304TI-B	AN4	-3 body	Titanium
BJRQDSPH0504TI-B	AN4	-5 body	Titanium
BJRQDSPH1818TI-B	male 1/8-28bsp	male 1/8-28bsp	Titanium
BJRQDSPH1818TI-B	male 1/8-28bsp	female 1/8-28bsp	Titanium

>> Brake System



◆ Brake Fittings

- Stainless Steel Banjo Bolts
- Stainless Steel AN to AN & Metric Adaptor
- AN3 S.S. Hose ends STRAIGHT/45°/90°
- Stainless Steel Bulkhead Fitting
- Banjo Double Hose End
- Convex Seat Straight Crimp
- Female AN Swivel Crimp
- Double Groove Line Locator
- DOUBLE BANJO BOLTS
- S.S. Bulkhead Hose Ends
- OLIVE INSERT
- Brake Hose Locator
- Stainless Splits
- Banjo Hose Ends
- 3 Way Split




>>Tool

- AN Wrenches
- Alloy AN Spanners Sets
- Adjustable AN Wrench
- Light Weight Handy Tube Bender


- Hex Finishers
- Vise Jaws
- Brackets
- Clamps




>>Hose Installation




Release the hose clamp assembly by releasing the thumbscrews, slide the socket nut holder open.



Slide the cover back and slide the socket nut insert into the tool and the hose clamp insert into the holder.




Place the socket nut into the tool holder and the hose into the hose clamp, place the nut into the nut clamping mechanism and slide the cover closed.




Place the stainless steel braided hose into the hose clamping mechanism and tighten the two screws to hold it in place.



With the cover closed and the hose held in place begin rotating the wheel until it can't rotate any further, measure depth of nut to prevent overthreading.




To transform the BJR Hose Installation Kit from an installation tool to a vice simply slide the hose clamp and handwheel assembly off the base.



Unscrew the socket nut holder and screw on the vice adaptor.



Slide the two vice-jaw piece onto the base of the assembly, slide the handwheel assembly out and slide back into the groove of the vice piece.



The BJR Hose Installation Kit has now been adapted to be used as a vice, soft jaws and the use of BJR'S alloy shifter eliminates the possibility of marking the fittings.



>> Technical Information

● MALE NPT IDENTIFICATION CHART

The line drawings below depict the actual sizes of the various common NPT thread sizes. If you are unsure as to what thread size you are using lay your fitting over the appropriate drawing to determine its size.



● MALE AN/ORB ADAPTER IDENTIFICATION CHART


The line drawings below depict the actual sizes of the various common AN/ORB thread sizes. If you are unsure as to what size fitting you have lay your fitting over the appropriate drawing to determine its size.

NOTE: - AN and ORB thread are the same diameter. AN seals with the flare, ORB seals with an O-ring.



● AN HEX OD IDENTIFICATION CHART

The line drawings below depict the actual sizes of the various common types of fittings, hose ends and adapters. The number is SAE spanner size equivalent.



● NPT (National Pipe Thread)

Thread Size	Threads Per Inch	Closest AN Size
1/16"	27	3
1/8"	27	4
1/4"	18	6
3/8"	18	8
1/2"	14	10
3/4"	14	12
1"	11-1/2	16
1-1/4"	11-1/2	20
1-1/2"	11-1/2	24
2"	11-1/2	32

● AN THREAD

Thread Size	Thread Size SAE	Threads Per Inch	Max Torque
-3	3/8	24	8.75
-4	7/16	20	11.5
-5	1/2	20	14.3
-6	9/16	18	16.25
-7	5/8	18	19.5
-8	3/4	16	29
-10	7/8	14	35
-12	1-1/16	12	45
-16	1-5/16	12	70
-20	1-5/8	12	85

● AN NUT

Hex Sizes	B Nut AN Side	S Nut Hose Side
-3	1/2"	
-4	9/16"	23/32"
-6	11/16"	7/8"
-8	7/8"	1-1/32"
-10	1"	1-7/32"
-12	1-1/4"	1-7/16"
-16	1-1/2"	1-3/4"
-20	2"	2-5/16"

>> Other Parts

We are able to design, develop, manufacture your PO according to your drawings, samples or just an idea.

